



16 February 2021

ASX Announcement

INFILL AND EXTENSIONAL DRILLING DELIVERS MORE HIGH-GRADE GOLD INTERCEPTS AT KAT GAP

Highlights:

- Further infill and depth extensional RC drilling at Kat Gap return **high-grade gold intercepts**. Better results from most recent drilling include:
 - 3m @ 12.00 g/t Au from 127m including 1m @ 17.90 g/t Au from 127m
 - 2m @ 9.45 g/t Au from 174m including 1m @ 17.80 g/t Au from 175m
 - 4m @ 7.96 g/t Au from 77m including 1m @ 20.90 g/t Au from 77m
 - 10m @ 4.58 g/t Au from 130m including 1m @ 10.60 g/t Au from 133m
 - 11m @ 3.63 g/t Au from 76m including 1m @ 11.80 g/t Au from 83m
 - 5m @ 6.60 g/t Au from 159m including 1m @ 20.60 g/t Au from 159m
 - 4m @ 5.00 g/t Au from 35m including 1m @ 11.40 g/t Au from 38m
 - 5m @ 4.77 g/t Au from 48m including 1m @ 21.60 g/t Au from 48m
 - 7m @ 4.20 g/t Au from 60m including 1m @ 22.00 g/t Au from 61m
 - 2m @ 8.73 g/t Au from 53m including 1m @ 14.90 g/t Au from 53m
- Infill RC drilling at Kat Gap conducted over **300m of strike** north of the cross cutting Proterozoic dyke. These new results incorporate infill drilling carried out between 150 and 300m north of the dyke.
- Infill RC holes conducted on 20m x 10m and 10m x 10m spacings. This coverage will provide more accurate resource model data for optimisation and final pit design work.
- Deeper RC drilling down to a maximum depth of 220m was completed late last year testing the potential down plunge extent of the near surface high grade gold mineralisation. **A total of 18 holes for 2,824m were drilled.**

INTRODUCTION

WA-focused gold exploration and development company Classic Minerals Limited (ASX. CLZ) ("Classic", or "the Company") is pleased to announce that it has received all the outstanding assays results from its August - September and November - December RC drilling programs at its Forrestania Gold Project (FGP) in Western Australia have now been received. **The Company completed a total of 99 holes for 8,704 metres at Kat Gap.**



Drilling results from Kat Gap continued to deliver **significant zones of high-grade gold mineralisation** from infill and deeper drilling programs. The results in this announcement are concentrated 100-300m north of the cross-cutting Proterozoic dyke. The infill RC drilling was conducted on a 10m x 10m and 20m x 10m pattern. The down plunge deeper RC program was focussed on an area just north of the dyke.

Significant results from both drill programs are tabled below.

Hole	Northing	Easting	From (m)	To (m)	Width (m)	Grade (g/t)
FKGRC218	6372147	764852	54	55	1	10.10 g/t Au
FKGRC222	6372302	764709	35	39	4	5.00 g/t Au
		<i>including</i>	38	39	1	11.40 g/t Au
FKGRC222	6372302	764709	77	81	4	7.96 g/t Au
		<i>Including</i>	77	78	1	20.90 g/t Au
FKGRC239	6372475	764526	26	31	5	3.05 g/t Au
		<i>Including</i>	27	28	1	11.20 g/t Au
FKGRC240	6372482	764533	28	37	9	2.70 g/t Au
FKGRC269	6372386	764624	48	53	5	4.77 g/t Au
		<i>including</i>	48	49	1	21.60 g/t Au
FKGRC276	6372360	764625	31	35	4	2.68 g/t Au
FKGRC277	6372365	764632	39	43	4	3.16 g/t Au
FKGRC278	6372372	764639	51	60	9	1.34 g/t Au
FKGRC279	6372379	764646	60	72	12	1.67 g/t Au
FKGRC284	6372353	764645	42	49	7	1.53 g/t Au
FKGRC285	6372361	764652	50	58	8	2.50 g/t Au
		<i>including</i>	57	58	1	12.90 g/t Au
FKGRC294	6372355	764674	60	66	6	2.64 g/t Au
FKGRC303	6372442	764577	49	58	9	2.40 g/t Au
		<i>including</i>	57	58	1	15.10 g/t Au
FKGRC304	6372457	764591	64	66	2	5.93 g/t Au

FKGRC310	6372421	764572	45	51	6	2.52 g/t Au
	<i>including</i>		46	47	1	10.70 g/t Au
FKGRC312	6372439	764587	53	55	2	8.73 g/t Au
	<i>including</i>		53	54	1	14.90 g/t Au
FKGRC313	6372445	764594	60	67	7	4.20 g/t Au
	<i>including</i>		61	62	1	22.00 g/t Au
FKGRC320	6372351	764715	76	87	11	3.63 g/t Au
	<i>including</i>		83	84	1	11.80 g/t Au
FKGRC321	6372377	764743	121	126	5	4.37 g/t Au
	<i>including</i>		122	123	1	13.40 g/t Au
FKGRC323	6372341	764802	133	143	10	4.58 g/t Au
	<i>including</i>		133	134	1	10.60 g/t Au
FKGRC329	6372406	764707	113	116	3	6.63 g/t Au
	<i>including</i>		113	114	1	11.60 g/t Au
FKGRC330	6372384	764798	159	164	5	6.60 g/t Au
	<i>including</i>		159	160	1	20.60 g/t Au
FKGRC331	6372355	764772	127	130	3	12.00 g/t Au
	<i>including</i>		127	128	1	17.90 g/t Au
FKGRC332	6372397	764811	174	176	2	9.45 g/t Au
	<i>including</i>		175	176	1	17.80 g/t Au
FKGRC339	6372404	764773	155	158	3	5.62 g/t Au
	<i>including</i>		156	157	1	11.70 g/t Au

Figure 1: Kat Gap infill drilling






Figure 2: FGP and Kat Gap tenure shown in red

KAT GAP DRILLING

Classic has finally received all outstanding assay results from its infill and deep extensional RC drilling programs completed back in August-September and November-December 2020. **The drilling programs consisted of 81 infill holes for 5,588m and 18 deeper holes for 2,824m.**

Infill RC drilling

The 81-hole infill RC drilling program (FKGRC207-228, FKGRC231-245 and FKGRC267-313) covers an area approximately 300m along strike to the north of the Proterozoic dyke (See Figure 2.0). The infill drilling was focused on testing the main granite-greenstone contact lode within the existing inferred resource to an average depth of 75m below surface. The holes have been drilled on 20m x 10m and 10m x 10m grid spacings to bring the near surface parts of the inferred resource to indicated status prior to final pit design work.

Infill drilling has confirmed continuity of mineralised zones within the inferred resource model north of the Proterozoic dyke.

Better results from the infill holes include:

- 1m @ 10.10g/t Au from 54m in FKGRC218
- 4m @ 5.00g/t Au from 35m including 1m @ **11.40g/t** Au from 38m in FKGRC222
- 4m @ 7.96g/t Au from 77m including 1m @ **20.90g/t** Au from 77m in FKGRC222
- 5m @ 3.05g/t Au from 26m including 1m @ **11.20g/t** Au from 27m in FKGRC239
- 9m @ 2.70g/t Au from 28m in FKGRC240
- 5m @ 4.77g/t Au from 48m including 1m @ **21.60g/t** from 48m in FKGRC269
- 9m @ 2.40g/t Au from 49m including 1m @ **15.10g/t** Au from 57m in FKGRC303
- 6m @ 2.52g/t Au from 45m including 1m @ **10.70g/t** Au from 46m in FKGRC310
- 7m @ 4.20g/t Au from 60m including 1m @ **22.00g/t** from 61m in FKGRC313

Deep RC Drilling

Deeper RC holes testing the down plunge potential are all located within 100m north along strike from the cross cutting Proterozoic dyke and form part of the much larger future deeper drilling program (See Figure 2.0). A total of 18 holes for 2,824m (FKGRC320 – 333 and FKGRC 339 – 342) were completed during November and December last year. Interpretation of the recently received assay data has confirmed a northerly plunge of about 55 degrees closely linked to the flattening or rolling of the granite-greenstone contact. The gold is associated with smokey grey quartz veins within weakly sheared granite some 10-15m in from the main granite-greenstone contact. **The plunge line is completely open to the north.**

Better results from the deeper RC holes include:

- 11m @ 3.63g/t Au from 76m including 1m @ **11.80g/t** Au from 83m in FKGRC320
- 5m @ 4.37g/t Au from 121m including 1m @ **13.40g/t** Au from 122m in FKGRC321
- 10m @ 4.58g/t Au from 133m including 1m @ **10.60g/t** Au from 133m in FKGRC323
- 3m @ 6.63 g/t Au from 113m including 1m @ **11.60g/t** Au from 113m in FKGRC329
- 5m @ 6.60g/t Au from 159m including 1m @ **20.60g/t** Au from 159m in FKGRC330
- 3m @ 12.00g/t Au from 127m including 1m @ **17.90g/t** Au from 127m in FKGRC331
- 2m @ 9.45g/t Au from 174m including 1m @ **17.80g/t** Au from 175m in FKGRC332
- 3m @ 5.62g/t Au from 155m including 1m @ **11.70g/t** Au from 156m FKGRC339

Previous Infill RC Drilling

Previously drilled infill RC holes FKGRC248 – 266 were announced back in October 2020 (See ASX release dated 20th October 2020). These holes were located 100m to 200m north along strike from the cross cutting Proterozoic dyke and formed part of the much larger infill drilling pattern (See Figure 2.0). These holes were drilled on a 20m x 10m and 10m x 10m grid spacings.

Better results from previously reported infill drilling include:

- 7m @ 2.33g/t Au from 33m in FKGRC249
- 3m @ 2.47g/t Au from 26m in FKGRC250
- 15m @ 2.97g/t Au from 38m including 4m @ 9.13g/t Au from 38m in FKGRC251
- 2m @ **16.57 g/t** Au from 46m including 1m @ **30.30g/t** Au from 46m in FKGRC252
- 6m @ 4.07g/t Au from 61m including 1m @ **16.10g/t** Au from 65m in FKGRC254
- 2m @ 6.22g/t Au from 56m in FKGRC257
- 4m @ 8.97g/t Au from 46m including 1m @ **23.40g/t** Au from 46m in FKGRC262
- 10m @ 3.24g/t Au from 54m including 1m @ **18.40g/t** Au from 54m FKGRC263
- 3m @ 3.87g/t Au from 63m in FKGRC264




Figure 3: Infill RC drilling at Kat Gap

Classic will be heading back to Kat Gap in late March to conduct further deeper drilling down dip and down plunge of the current inferred resource. The program will entail drilling around 10-15 holes ranging in depth from 150m to 250m for approximately 3,000m. Shallow RC drilling is also planned out in the granite west of the granite-greenstone contact following up the large auger soil gold anomaly. Classic plans to drill around 15-20 holes for 1500m.

ABOUT THE FORRESTANIA GOLD PROJECT

The FGP Tenements (excluding Kat Gap) are registered in the name of Reed Exploration Pty Ltd, a wholly owned subsidiary of ASX listed Hannans Ltd (ASX: HNR). Classic has acquired 80% of the gold rights on the FGP Tenements from a third party, whilst Hannans has maintained its 20% interest in the gold rights. For the avoidance of doubt Classic Ltd owns a 100% interest in the gold rights on the Kat Gap Tenements and also non-gold rights including but not limited to nickel, lithium and other metals.

Classic has a Global Mineral Resource of **8.24 Mt at 1.52 g/t for 403,906 ounces of gold**, classified and reported in accordance with the JORC Code (2012), with a recent Scoping Study (see ASX Announcement released 2nd May 2017) suggesting both the technical and financial viability of the project. The current post- mining Mineral Resource for Lady Ada, Lady Magdalene and Kat Gap is tabulated below.



Additional technical detail on the Mineral Resource estimation is provided, further in the text below and in the JORC Table 1 as attached to ASX announcements dated 18th December 2019, 21st January 2020, and 20 April 2020.

Prospect	Indicated			Inferred			Total		
	Tonnes	Grade (Au g/t)	Ounces Au	Tonnes	Grade (Au g/t)	Ounces Au	Tonnes	Grade (au)	Ounces
Lady Ada	257	2.01	16,600	1,090,800	1.23	43,100	1,348,100	1.38	59,700
Lady Magdalene				5,922,700	1.32	251,350	5,922,700	1.32	251,350
Kat Gap				975,722	2.96	92,856	975,722	2.96	92,856
Total	257	2.01	16,600	7,989,222	1.50	387,306	8,246,522	1.52	403,906

Notes:

1. The Mineral Resource is classified in accordance with JORC, 2012 edition
2. The effective date of the mineral resource estimate is 20 April 2020.
3. The mineral resource is contained within FGP tenements
4. Estimates are rounded to reflect the level of confidence in these resources at the present time.
5. The mineral resource is reported at 0.5 g/t Au cut-off grade
6. Depletion of the resource from historic open pit mining has been considered

On behalf of the board,

Dean Goodwin CEO

Forward Looking Statements

This announcement may contain certain “forward-looking statements” which may not have been based solely on historical facts, but rather may be based on the Company’s current expectations about future events and results. Where the Company expresses or implies an expectation or belief as to future events or results, such expectation or belief is expressed in good faith and believed to have reasonable basis. However, forward looking statements are subjected to risks, uncertainties, assumptions and other factors, which could cause actual results to differ materially from future results expressed, projected or implied by such forward-looking statements. Such risks include, but are not limited to Resource risk, metals price volatility, currency fluctuations, increased production costs and variances in ore grade or recovery rates from those assumed in mining plans, as well as political and operational risks in the Countries and States in which we operate or sell product to, and governmental regulation and judicial outcomes. For a more detailed discussion of such risks and other factors, see the Company’s annual reports, as well as the Company’s other filings. Readers should not place undue reliance on forward looking information. The Company does not undertake any obligation to release publicly any revisions to any “forward-looking statements” to reflect events or circumstances after the date of this announcement, or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.

Competent Persons Statement

The information contained in this report that relates to Mineral resources and Exploration Results is based on information compiled by Dean Goodwin, a Competent Person who is a Member of the Australian Institute of Geoscientists (AIG). Mr Goodwin is a consultant exploration geologist with Reliant Resources Pty Ltd and consults to Classic Minerals Ltd. Mr. Goodwin has sufficient experience that is relevant to the style of mineralisation and the type of deposit under consideration, and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves”. Mr. Goodwin consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.



Drill Hole Details:

HOLE ID	Northing	Easting	Dip	Azi	Depth
FKGRC207	6372173	764822	-60	222	70
FKGRC208	6372180	764829	-60	222	70
FKGRC209	6372188	764836	-60	222	80
FKGRC210	6372202	764848	-60	222	100
FKGRC211	6372139	764817	-60	222	50
FKGRC212	6372148	764825	-60	222	60
FKGRC213	6372154	764832	-60	222	70
FKGRC214	6372169	764845	-60	222	90
FKGRC215	6372125	764832	-60	222	50
FKGRC216	6372134	764841	-60	222	60
FKGRC217	6372141	764847	-60	222	70
FKGRC218	6372147	764852	-60	222	80
FKGRC222	6372302	764709	-60	222	90
FKGRC223	6372309	764715	-60	222	100
FKGRC224	6372290	764683	-60	222	80
FKGRC225	6372280	764684	-60	222	80
FKGRC226	6372274	764670	-60	222	72
FKGRC227	6372260	764655	-60	222	60
FKGRC228	6372247	764641	-60	222	50
FKGRC231	6372489	764485	-60	222	40
FKGRC232	6372495	764491	-60	222	50
FKGRC233	6372503	764499	-60	222	60
FKGRC234	6372510	764506	-60	222	70
FKGRC235	6372472	764497	-60	222	30
FKGRC236	6372484	764510	-60	222	50



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

FKGRC237	6372459	764512	-60	222	40
FKGRC238	6372467	764520	-60	222	50
FKGRC239	6372475	764526	-60	222	60
FKGRC240	6372482	764533	-60	222	70
FKGRC241	6372469	764546	-60	222	60
FKGRC242	6372435	764542	-60	222	40
FKGRC243	6372441	764547	-60	222	50
FKGRC244	6372449	764554	-60	222	60
FKGRC245	6372457	764562	-60	222	70
FKGRC267	6372374	764611	-60	222	60
FKGRC268	6372379	764616	-60	222	70
FKGRC269	6372386	764624	-60	222	80
FKGRC270	6372393	764632	-60	222	90
FKGRC271	6372400	764638	-60	222	90
FKGRC272	6372378	764628	-60	222	60
FKGRC273	6372395	764645	-60	222	80
FKGRC274	6372346	764610	-60	222	40
FKGRC275	6372353	764618	-60	222	50
FKGRC276	6372360	764625	-60	222	60
FKGRC277	6372365	764632	-60	222	70
FKGRC278	6372372	764639	-60	222	80
FKGRC279	6372379	764646	-60	222	90
FKGRC280	6372360	764637	-60	222	60
FKGRC281	6372332	764628	-60	222	40
FKGRC282	6372341	764633	-60	222	50
FKGRC283	6372347	764638	-60	222	60
FKGRC284	6372353	764645	-60	222	70
FKGRC285	6372361	764652	-60	222	80



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

FKGRC286	6372368	764659	-60	222	90
FKGRC287	6372323	764633	-60	222	50
FKGRC288	6372340	764647	-60	222	60
FKGRC289	6372317	764640	-60	222	40
FKGRC290	6372325	764647	-60	222	50
FKGRC291	6372333	764655	-60	222	60
FKGRC292	6372341	764660	-60	222	70
FKGRC293	6372346	764665	-60	222	80
FKGRC294	6372355	764674	-60	222	90
FKGRC295	6372423	764543	-60	222	50
FKGRC296	6372431	764551	-60	222	60
FKGRC297	6372435	764556	-60	222	70
FKGRC298	6372443	764563	-60	222	80
FKGRC299	6372450	764569	-60	222	80
FKGRC300	6372459	764577	-60	222	80
FKGRC301	6372412	764550	-60	222	50
FKGRC302	6372427	764564	-60	222	60
FKGRC303	6372442	764577	-60	222	70
FKGRC304	6372457	764591	-60	222	80
FKGRC305	6372002	764813	-60	222	20
FKGRC306	6372011	764822	-60	222	30
FKGRC307	6372400	764553	-60	222	40
FKGRC308	6372406	764559	-60	222	50
FKGRC309	6372414	764566	-60	222	60
FKGRC310	6372421	764572	-60	222	70
FKGRC311	6372432	764580	-60	222	80
FKGRC312	6372439	764587	-60	222	90
FKGRC313	3672445	764594	-60	222	90



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

FKGRC320	6372351	764715	-60	222	110
FKGRC321	6372377	764743	-60	222	144
FKGRC322	6372391	764759	-60	222	160
FKGRC323	6372341	764802	-60	222	160
FKGRC324	6372376	764706	-60	222	120
FKGRC325	6372407	764736	-60	222	150
FKGRC326	6372423	764751	-60	222	166
FKGRC327	6372377	764679	-60	222	100
FKGRC328	6372391	764691	-60	222	120
FKGRC329	6372406	764707	-60	222	136
FKGRC330	6372384	764798	-60	222	180
FKGRC331	6372355	764772	-60	222	150
FKGRC332	6372397	764811	-60	222	196
FKGRC333	6372412	764825	-60	222	220
FKGRC339	6372404	764773	-60	222	180
FKGRC340	6372418	764786	-60	222	195
FKGRC341	6372421	764720	-60	222	159
FKGRC342	6372437	764732	-60	222	174



Drill Samples Grading >0.80 g/t

Sample No	HoleID	N (MGA94Z50)	E (MGA94Z50)	From	To	Sample Type	Au_ppm
466449	FKGRC207	6372173	764822	32	33	1m samples	2.20
466450	FKGRC207			33	34	1m samples	1.09
466464	FKGRC207			47	48	1m samples	2.92
466480	FKGRC207					standard 254	2.52
466539	FKGRC208	6372180	764829	50	51	1m samples	0.80
466540	FKGRC208			51	52	1m samples	0.99
466614	FKGRC209	6372188	764836	53	54	1m samples	2.43
466640	FKGRC209					standard 254	2.53
466560	FKGRC209					standard 254	2.52
466720	FKGRC210	6372202	764848			standard 254	2.54
466824	FKGRC212	6372148	764825	28	29	1m samples	0.89
466800	FKGRC212					standard 254	2.51
466880	FKGRC213	6372154	764832			standard 254	2.53
466982	FKGRC214	6372169	764845	52	53	1m samples	1.19
466960	FKGRC214					standard 254	2.49
467040	FKGRC215	6372125	764832			standard 254	2.56
467098	FKGRC216	6372134	764841	25	26	1m samples	1.82
467102	FKGRC216			29	30	1m samples	2.27
467105	FKGRC216			32	33	1m samples	0.80
467108	FKGRC216			35	36	1m samples	1.14
467113	FKGRC216			40	41	1m samples	0.93
467080	FKGRC216					standard 218	2.50
467173	FKGRC217	6372141	764847	38	39	1m samples	0.83
467177	FKGRC217			42	43	1m samples	0.86
467160	FKGRC217					standard 218	2.50

467255	FKGRC218	6372147	764852	48	49	1m samples	0.84
467261	FKGRC218			54	55	1m samples	10.10
467240	FKGRC218					standard 218	2.52

467564	FKGRC222	6372302	764709	29	30	1m samples	0.95
467566	FKGRC222			31	32	1m samples	1.79
467570	FKGRC222			35	36	1m samples	2.52
467571	FKGRC222			36	37	1m samples	2.06
467572	FKGRC222			37	38	1m samples	4.02
467573	FKGRC222			38	39	1m samples	11.40
467577	FKGRC222			42	43	1m samples	0.81
467591	FKGRC222			56	57	1m samples	1.20
467597	FKGRC222			62	63	1m samples	3.01
467598	FKGRC222			63	64	1m samples	1.04
467613	FKGRC222			77	78	1m samples	20.90
467614	FKGRC222			78	79	1m samples	4.90
467615	FKGRC222			79	80	1m samples	4.75
467616	FKGRC222			80	81	1m samples	1.30
467560	FKGRC222					standard 254	2.52

467675	FKGRC223	6372309	764715	48	49	1m samples	0.83
467706	FKGRC223			78	79	1m samples	6.63
467720	FKGRC223					standard 254	2.52
467640	FKGRC223					standard 254	2.50

467788	FKGRC224	6372290	764683	58	59	1m samples	5.65
467760	FKGRC224					standard 254	2.53

467833	FKGRC225	6372280	764684	22	23	1m samples	1.54
467836	FKGRC225			25	26	1m samples	2.37
467846	FKGRC225			34	35	1m samples	1.00
467864	FKGRC225			52	53	1m samples	1.03
467840	FKGRC225					standard 254	2.53
467880	FKGRC225					standard 254	2.52

467937	FKGRC226	6372274	764670	43	44	1m samples	1.49
467960	FKGRC226					standard 254	2.52
467920	FKGRC226					standard 254	2.44

468000	FKGRC227	6372260	764655			standard 254	2.55
--------	----------	---------	--------	--	--	--------------	------



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

468068	FKGRC228	6372247	764641	39	40	1m samples	1.95
468040	FKGRC228					standard 254	2.49
471350	FKGRC231	6372489	764485			standard 229	12.00
471370	FKGRC232	6372495	764491	16	17	1m samples	1.96
471394	FKGRC232			38	39	1m samples	1.25
471400	FKGRC232					standard 254	2.47
471434	FKGRC233	6372503	764499	26	27	1m samples	2.90
471443	FKGRC233			34	35	1m samples	1.43
471450	FKGRC233					standard 229	11.80
468505	FKGRC234	6372510	764506	40	41	1m samples	1.18
468500	FKGRC234					standard 229	11.40
471500	FKGRC234					standard 254	2.54
468550	FKGRC235	6372472	764497			standard 254	2.46
468600	FKGRC236	6372484	764510			standard 254	11.40
468633	FKGRC237	6372459	764512	11	12	1m samples	0.93
468652	FKGRC237			28	29	1m samples	1.70
468650	FKGRC237					standard 254	2.55
468682	FKGRC238	6372467	764520	17	18	1m samples	0.95
468683	FKGRC238			18	19	1m samples	2.50
468689	FKGRC238			24	25	1m samples	2.31
468691	FKGRC238			25	26	1m samples	0.93
468697	FKGRC238			31	32	1m samples	1.93
468699	FKGRC238			33	34	1m samples	0.93
468701	FKGRC238			34	35	1m samples	1.60
468700	FKGRC238					standard 229	11.60
468745	FKGRC239	6372475	764526	26	27	1m samples	1.85
468746	FKGRC239			27	28	1m samples	11.20
468749	FKGRC239			30	31	1m samples	1.13
468750	FKGRC239					standard 254	11.20



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

468811	FKGRC240	6372482	764533	28	29	1m samples	1.70
468813	FKGRC240			30	31	1m samples	1.43
468814	FKGRC240			31	32	1m samples	7.94
468815	FKGRC240			32	33	1m samples	0.86
468816	FKGRC240			33	34	1m samples	8.01
468819	FKGRC240			36	37	1m samples	3.40
468850	FKGRC240					standard 254	11.40
468800	FKGRC240					standard 229	2.53

468900	FKGRC241	6372469	764546			standard 254	2.50
--------	----------	---------	--------	--	--	--------------	------

468935	FKGRC242	6372435	764542	15	16	1m samples	3.05
468936	FKGRC242			16	17	1m samples	2.63
468954	FKGRC242			32	33	1m samples	2.44
468950	FKGRC242					standard 229	2.52

468984	FKGRC243	6372441	764547	21	22	1m samples	0.97
468993	FKGRC243			29	30	1m samples	0.83
469000	FKGRC243					standard 229	11.30

469057	FKGRC244	6372449	764554	39	40	1m samples	0.82
469050	FKGRC244					standard 254	2.51

469115	FKGRC245	6372457	764562	34	35	1m samples	1.00
469116	FKGRC245			35	36	1m samples	1.28
469120	FKGRC245			39	40	1m samples	1.48
469121	FKGRC245			40	41	1m samples	0.90
469122	FKGRC245			41	42	1m samples	3.14
469133	FKGRC245			51	52	1m samples	2.04
469100	FKGRC245					standard 229	11.40
469150	FKGRC245					standard 254	2.54

470520	FKGRC267	6372374	764611	26	27	1m samples	3.99
470529	FKGRC267			34	35	1m samples	0.99
470550	FKGRC267					standard 229	11.90
470500	FKGRC267					standard 254	2.62

470595	FKGRC268	6372379	764616	36	37	1m samples	1.36
470598	FKGRC268			39	40	1m samples	2.13
470603	FKGRC268			43	44	1m samples	1.74
470600	FKGRC268					standard 254	2.50



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

470682	FKGRC269	6372386	764624	48	49	1m samples	21.60
470685	FKGRC269			51	52	1m samples	1.02
470693	FKGRC269			58	59	1m samples	3.83
470650	FKGRC269					standard 229	11.90
470700	FKGRC269					standard 254	2.50

470767	FKGRC270	6372393	764632	48	49	1m samples	2.10
470776	FKGRC270			56	57	1m samples	3.40
470777	FKGRC270			57	58	1m samples	1.85
470778	FKGRC270			58	59	1m samples	0.93
470779	FKGRC270			59	60	1m samples	2.98
470781	FKGRC270			61	62	1m samples	1.10
470750	FKGRC270					standard 229	11.60

470863	FKGRC271	6372400	764638	48	49	1m samples	2.74
470867	FKGRC271			52	53	1m samples	1.19
470881	FKGRC271			65	66	1m samples	3.56
470884	FKGRC271			68	69	1m samples	0.91
470886	FKGRC271			70	71	1m samples	4.46
470850	FKGRC271					standard 229	11.50

470955	FKGRC272	6372378	764628	44	45	1m samples	2.53
470956	FKGRC272			45	46	1m samples	1.49
470961	FKGRC272			50	51	1m samples	1.45
470965	FKGRC272			54	55	1m samples	1.25
470950	FKGRC272					standard 229	11.40

471730	FKGRC273	6372395	764645	62	63	1m samples	2.90
471734	FKGRC273			66	67	1m samples	1.42
471741	FKGRC273			72	73	1m samples	3.36
471700	FKGRC273					standard 229	11.40

471800	FKGRC275	6372353	764618			standard 229	11.60
--------	----------	---------	--------	--	--	--------------	-------

471878	FKGRC276	6372360	764625	31	32	1m samples	2.72
471880	FKGRC276			33	34	1m samples	0.89
471881	FKGRC276			34	35	1m samples	6.52
471883	FKGRC276			36	37	1m samples	0.89
471900	FKGRC276					standard 249	11.30



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

471951	FKGRC277	6372365	764632	39	40	1m samples	1.22
471952	FKGRC277			40	41	1m samples	6.57
471953	FKGRC277			41	42	1m samples	4.37
471959	FKGRC277			47	48	1m samples	0.97

472037	FKGRC278	6372372	764639	51	52	1m samples	4.74
472041	FKGRC278			54	55	1m samples	1.82
472042	FKGRC278			55	56	1m samples	1.16
472043	FKGRC278			56	57	1m samples	0.86
472046	FKGRC278			59	60	1m samples	2.01
472000	FKGRC278					standard 246	11.40

472132	FKGRC279	6372379	764646	60	61	1m samples	9.14
472137	FKGRC279			65	66	1m samples	3.94
472138	FKGRC279			66	67	1m samples	2.37
472143	FKGRC279			70	71	1m samples	1.03
472144	FKGRC279			71	72	1m samples	1.60
472152	FKGRC279			78	79	1m samples	2.28
472162	FKGRC279			88	89	1m samples	2.07
472100	FKGRC279					standard 229	11.30

472206	FKGRC280	6372360	764637	39	40	1m samples	3.22
472207	FKGRC280			40	41	1m samples	1.11
472214	FKGRC280			47	48	1m samples	1.42
472200	FKGRC280					standard 229	11.40

472300	FKGRC282	6372341	764633			standard 229	11.30
--------	----------	---------	--------	--	--	--------------	-------

472357	FKGRC283	6372347	764638	31	32	1m samples	1.14
472362	FKGRC283			36	37	1m samples	3.00
472363	FKGRC283			37	38	1m samples	5.20

472432	FKGRC284	6372353	764645	42	43	1m samples	1.96
472433	FKGRC284			43	44	1m samples	3.40
472434	FKGRC284			44	45	1m samples	1.09
472436	FKGRC284			46	47	1m samples	2.05
472438	FKGRC284			48	49	1m samples	1.35
472443	FKGRC284			52	53	1m samples	3.04
472400	FKGRC284					standard 229	11.50



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

472512	FKGRC285	6372361	764652	47	48	1m samples	1.74
472515	FKGRC285			50	51	1m samples	1.15
472517	FKGRC285			52	53	1m samples	0.83
472519	FKGRC285			54	55	1m samples	1.60
472520	FKGRC285			55	56	1m samples	1.14
472521	FKGRC285			56	57	1m samples	1.54
472522	FKGRC285			57	58	1m samples	12.90
472500	FKGRC285					standard 229	11.40

472614	FKGRC286	6372361	764652	63	64	1m samples	1.43
472617	FKGRC286			66	67	1m samples	2.50
472600	FKGRC286					standard 229	11.30

472695	FKGRC287	6372323	764633	49	50	1m samples	1.53
--------	----------	---------	--------	----	----	------------	------

472700	FKGRC288	6372340	764647			standard 229	11.40
--------	----------	---------	--------	--	--	--------------	-------

472799	FKGRC289	6372317	764640	37	38	1m samples	0.81
472800	FKGRC289					standard 229	11.50

472832	FKGRC290	6372325	764647	28	29	1m samples	2.93
472850	FKGRC290					standard 242	12.10

472889	FKGRC291	6372333	764655	32	33	1m samples	2.82
472903	FKGRC291			44	45	1m samples	0.95
472908	FKGRC291			49	50	1m samples	1.28
472900	FKGRC291					standard 229	11.80

472962	FKGRC292	6372341	764660	40	41	1m samples	0.96
472964	FKGRC292			42	43	1m samples	0.85
472966	FKGRC292			44	45	1m samples	1.71
472967	FKGRC292			45	46	1m samples	2.26
472979	FKGRC292			56	57	1m samples	0.82

473000	FKGRC293	6372346	764665			standard 229	11.60
--------	----------	---------	--------	--	--	--------------	-------



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

473143	FKGRC294	6372355	764674	60	61	1m samples	3.13
473144	FKGRC294			61	62	1m samples	1.05
473145	FKGRC294			62	63	1m samples	6.13
473147	FKGRC294			64	65	1m samples	1.46
473148	FKGRC294			65	66	1m samples	3.41
473161	FKGRC294			77	78	1m samples	1.38
473100	FKGRC294					standard 229	11.90

473206	FKGRC295	6372423	764543	29	30	1m samples	1.34
473212	FKGRC295			35	36	1m samples	1.00
473200	FKGRC295					standard 229	11.60

473237	FKGRC296	6372431	764551	9	10	1m samples	1.32
473253	FKGRC296			23	24	1m samples	2.22
473258	FKGRC296			28	29	1m samples	2.72

473334	FKGRC297	6372435	764556	40	41	1m samples	1.37
473341	FKGRC297			46	47	1m samples	1.48
473300	FKGRC297					standard 229	11.50

473401	FKGRC298	6372443	764563	32	33	1m samples	1.17
473402	FKGRC298			33	34	1m samples	5.09
473403	FKGRC298			34	35	1m samples	1.18
473409	FKGRC298			40	41	1m samples	0.93
473414	FKGRC298			45	46	1m samples	1.00
473418	FKGRC298			49	50	1m samples	1.10
473419	FKGRC298			50	51	1m samples	0.93
473420	FKGRC298			51	52	1m samples	1.38
473400	FKGRC298					standard 229	11.60

473494	FKGRC299	6372450	764569	40	41	1m samples	0.85
473498	FKGRC299			44	45	1m samples	0.83
473501	FKGRC299			46	47	1m samples	1.44
473510	FKGRC299			55	56	1m samples	6.38
473512	FKGRC299			57	58	1m samples	1.19
473500	FKGRC299					standard 229	11.60

473572	FKGRC300	6372459	764577	34	35	1m samples	1.74
473593	FKGRC300			53	54	1m samples	1.07
473600	FKGRC300					standard 242	11.50



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

473635	FKGRC301	6372412	764550	13	14	1m samples	1.51
473717	FKGRC302	6372427	764564	40	41	1m samples	1.28
473718	FKGRC302			41	42	1m samples	1.56
473719	FKGRC302			42	43	1m samples	1.03
473720	FKGRC302			43	44	1m samples	2.64
473721	FKGRC302			44	45	1m samples	2.69
473722	FKGRC302			45	46	1m samples	1.67
473728	FKGRC302			50	51	1m samples	2.05
473700	FKGRC302					standard 249	11.60
473777	FKGRC303	6372442	764577	36	37	1m samples	1.38
473784	FKGRC303			43	44	1m samples	1.10
473791	FKGRC303			49	50	1m samples	3.89
473792	FKGRC303			50	51	1m samples	1.01
473799	FKGRC303			57	58	1m samples	15.10
473800	FKGRC303					standard 229	11.90
473881	FKGRC304	6372457	764591	64	65	1m samples	1.95
473882	FKGRC304			65	66	1m samples	9.90
473933	FKGRC307	6372400	764553	33	34	1m samples	1.49
473900	FKGRC307					standard 229	11.80
474001	FKGRC309	6372414	764566	5	6	1m samples	11.50
474027	FKGRC309			30	31	1m samples	1.05
474028	FKGRC309			31	32	1m samples	2.73
474029	FKGRC309			32	33	1m samples	0.99
474031	FKGRC309			34	35	1m samples	1.87
474038	FKGRC309			41	42	1m samples	1.94
474039	FKGRC309			42	43	1m samples	2.98
474040	FKGRC309					blank	0.97
474103	FKGRC310	6372421	764572	42	43	1m samples	0.85
474105	FKGRC310			44	45	1m samples	0.97
474107	FKGRC310			46	47	1m samples	1.14
474108	FKGRC310			47	48	1m samples	1.06
474100	FKGRC310					standard 229	11.50



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

474172	FKGRC311	6372432	764580	38	39	1m samples	2.39
474180	FKGRC311			45	46	1m samples	0.94
474181	FKGRC311			46	47	1m samples	10.70
474182	FKGRC311			47	48	1m samples	0.90
474183	FKGRC311			48	49	1m samples	0.80
474185	FKGRC311			50	51	1m samples	1.00
474189	FKGRC311			54	55	1m samples	0.93
474192	FKGRC311			56	57	1m samples	0.83
474200	FKGRC311					standard 229	11.60

474267	FKGRC312	6372439	764587	47	48	1m samples	1.14
474273	FKGRC312			53	54	1m samples	14.90
474274	FKGRC312			54	55	1m samples	2.55

474372	FKGRC313	3672445	764594	56	57	1m samples	1.44
474377	FKGRC313			60	61	1m samples	1.31
474378	FKGRC313			61	62	1m samples	22.00
474380	FKGRC313			63	64	1m samples	1.12
474382	FKGRC313			65	66	1m samples	3.08
474383	FKGRC313			66	67	1m samples	1.09

475175	FKGRC320	6372351	764715	76	77	1m samples	1.04
475176	FKGRC320			77	78	1m samples	10.60
475182	FKGRC320			83	84	1m samples	11.80
475183	FKGRC320			84	85	1m samples	4.73
475184	FKGRC320			85	86	1m samples	1.60
475185	FKGRC320			86	87	1m samples	9.66

475231	FKGRC321	6372377	764743	121	122	1m samples	1.80
475232	FKGRC321			122	123	1m samples	13.40
475233	FKGRC321			123	124	1m samples	1.70
475235	FKGRC321			125	126	1m samples	4.85
475236	FKGRC321			126	127	1m samples	0.96

475283	FKGRC322	6372391	764759	137	138	1m samples	0.98
475284	FKGRC322			138	139	1m samples	2.22
475290	FKGRC322			144	145	1m samples	3.19



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

475327	FKGRC323	6372341	764802	130	131	1m samples	6.88
475328	FKGRC323			131	132	1m samples	1.22
475329	FKGRC323			132	133	1m samples	1.25
475330	FKGRC323			133	134	1m samples	10.60
475331	FKGRC323			134	135	1m samples	4.55
475332	FKGRC323			135	136	1m samples	1.45
475333	FKGRC323			136	137	1m samples	6.46
475334	FKGRC323			137	138	1m samples	6.96
475335	FKGRC323			138	139	1m samples	4.70
475336	FKGRC323			139	140	1m samples	1.70

475386	FKGRC324	6372376	764706	88	89	1m samples	1.36
475390	FKGRC324			92	93	1m samples	2.00
475391	FKGRC324			93	94	1m samples	4.50
475396	FKGRC324			98	99	1m samples	0.80
475399	FKGRC324			101	102	1m samples	0.84
475402	FKGRC324			103	104	1m samples	4.27

475453	FKGRC325	6372407	764736	133	134	1m samples	1.05
475454	FKGRC325			134	135	1m samples	6.43
475455	FKGRC325			135	136	1m samples	3.84
475456	FKGRC325			136	137	1m samples	1.14
475458	FKGRC325			138	139	1m samples	1.04
475466	FKGRC325			146	147	1m samples	0.96
475504	FKGRC326			153	154	1m samples	3.10

475505	FKGRC326	6372423	764751	154	155	1m samples	1.99
475507	FKGRC326			156	157	1m samples	1.46

475540	FKGRC327	6372377	764679	72	73	1m samples	1.16
475549	FKGRC327			81	82	1m samples	0.80
475552	FKGRC327			84	85	1m samples	5.62

475607	FKGRC328	6372391	764691	97	98	1m samples	2.90
475609	FKGRC328			99	100	1m samples	0.96
475615	FKGRC328			105	106	1m samples	2.80



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

475663	FKGRC329	6372406	764707	112	113	1m samples	6.50
475664	FKGRC329			113	114	1m samples	11.60
475665	FKGRC329			114	115	1m samples	1.80
475666	FKGRC329			115	116	1m samples	0.89
475667	FKGRC329			116	117	1m samples	1.79

475724	FKGRC330	6372384	764798	145	146	1m samples	0.92
475738	FKGRC330			159	160	1m samples	20.60
475739	FKGRC330			160	161	1m samples	4.74
475740	FKGRC330			161	162	1m samples	4.43
475741	FKGRC330			162	163	1m samples	1.91
475742	FKGRC330			163	164	1m samples	1.31
475756	FKGRC330			177	178	1m samples	4.26

475788	FKGRC331	6372355	764772	118	119	1m samples	2.02
475791	FKGRC331			121	122	1m samples	1.25
475797	FKGRC331			127	128	1m samples	17.90
475798	FKGRC331			128	129	1m samples	14.40
475799	FKGRC331			129	130	1m samples	3.70

475848	FKGRC332	6372397	764811	166	167	1m samples	10.60
475850	FKGRC332			168	169	1m samples	8.25
475856	FKGRC332			174	175	1m samples	1.10
475857	FKGRC332			175	176	1m samples	17.80

475894	FKGRC333	6372412	764825	185	186	1m samples	2.57
475895	FKGRC333			186	187	1m samples	1.21
475915	FKGRC333			206	207	1m samples	1.62

476419	FKGRC339			147	148	1m samples	3.05
476420	FKGRC339			148	149	1m samples	2.94
476427	FKGRC339			155	156	1m samples	4.02
476428	FKGRC339			156	157	1m samples	11.70
476429	FKGRC339			157	158	1m samples	1.15
476431	FKGRC339			159	160	1m samples	1.58



CLASSIC MINERALS

CLASSIC MINERALS LIMITED

71 Furniss Rd, Lansdale
Western Australia 6065

ASX: CLZ | ABN 119 484 016
contact@classicminerals.com.au

476474	FKGRC340	6372418	764786	161	162	1m samples	1.15
476481	FKGRC340			167	168	1m samples	1.98
476482	FKGRC340			168	169	1m samples	2.42
476483	FKGRC340			169	170	1m samples	9.48
476484	FKGRC340			170	171	1m samples	0.92
476485	FKGRC340			171	172	1m samples	0.90
476487	FKGRC340			173	174	1m samples	1.15
476488	FKGRC340			174	175	1m samples	1.11

476540	FKGRC341	6372421	764720	130	131	1m samples	0.83
476541	FKGRC341			131	132	1m samples	7.42
476542	FKGRC341			132	133	1m samples	1.49

476599	FKGRC342	6372437	764732	139	140	1m samples	0.92
476606	FKGRC342			145	146	1m samples	1.21
476608	FKGRC342			147	148	1m samples	6.20
476618	FKGRC342			157	158	1m samples	0.99

Appendix 1: JORC (2012) Table1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> The samples were taken by a RC face sampling hammer drill. All RC holes were sampled at one-metre intervals. Care was taken to control metre delineation, and loss of fines. The determination of mineralisation was done via industry standard methods, including RC drilling, followed by splitting, crushing and fire assaying
Drilling techniques	<ul style="list-style-type: none"> <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> All drilling was completed using reverse circulation method, using a Hydco 350 model rig and 6m Remet Harlsen 4 ½ inch rods. The rig mounted Airtruck has 1150 cfm 500 psi auxiliary couples with a hurricane 7t Booster 2400 cfm /1000 psi booster. The bit size was 5 5/8,
Drill sample recovery	<ul style="list-style-type: none"> <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias</i> 	<ul style="list-style-type: none"> Recoveries from the drilling are not known, as sample weights were not recorded at this stage of exploration, but visual inspection of samples in the field indicate that recoveries were sufficient.



	<p><i>may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<ul style="list-style-type: none"> • The shroud tolerance was monitored, and metre delineation was kept in check. Loss of fines was controlled through mist injection. • It is not clear whether a relationship between recovery and grade occurs as recovery data was not collected (e.g. bag weights).
Logging	<ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> • Core and chips were logged to a level of detail to support the Mineral Resource estimation. • Logging was qualitative in nature. • All intersections were logged
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • The nature and quality of the sampling suits the purpose, being exploration. The laboratory preparation is standard practice and has not been further refined to match the ore. • QC in the lab prep stage was limited to taking pulp duplicates (e.g. no coarse crush duplicates were submitted) • The sample split sizes (4-5 kg are regarded as more than adequate for the nature and type of material sampled.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable</i> 	<ul style="list-style-type: none"> • Standard 50g fire assays with an AAS finish were used to get assay results. This is a total technique, and considered appropriate for this level of exploration. • Quality control was carried out by inserting blanks and standards into the sampling chain and 5% intervals. These all showed acceptable levels of accuracy and precision.



	<p><i>levels of accuracy (ie lack of bias) and precision have been established.</i></p>	
Verification of sampling and assaying	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • Significant intersections have not been validated by independent or alternative personnel. • No twin holes were included in this programme, as it is not relevant to the stage of exploration and purpose of this drilling. • All primary data was collected on spread sheets which have been validated for errors and included into an Access database. • Assay data has not been adjusted
Location of data points	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • Drill hole locations were determined by GPS in the field in UTM zone 50. • Topographic control is available through a detailed satellite-derived DTM.
Data spacing and distribution	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> • Holes were not drilled on a pattern and there was no specific drill hole spacing. In general holes are drilled within 50m from previous intersections. • The data spacing is considered sufficient to demonstrate geological and grade continuity for estimation procedures. • Samples were not composited.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> • The orientation of sampling has achieved unbiased sampling of structures, with drilling perpendicular to the dip and strike of the mineralised zones • The relationship between the drilling orientation and the orientation of key mineralised structures is not considered to have introduced a sampling bias.
Sample security	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Samples were immediately dispatched to the laboratory and have at all times been in possession of CLM or its designated contractors. Chain of custody was maintained throughout.
Audits or	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data</i> 	<ul style="list-style-type: none"> • No audits of any of the data have been carried out.

reviews		
---------	--	--

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The FGP Tenements (containing the Van Uden West prospect) are registered in the name of Reed Exploration Pty Ltd, which is a wholly owned subsidiary of ASX-listed Hannans Ltd (ASX code: HNR). Classic has acquired 80% of the gold rights only, with the remaining 20% of the gold rights held free-carried by Hannans Ltd until a decision to mine. Hannans Ltd also holds all of the non-gold rights on the FGP tenements including but not limited to nickel, lithium and other metals The acquisition includes 80% of the gold rights (other mineral rights retained by tenement holder) in the following granted tenements: E77/2207; E77/2219; E77/2239; P77/4290; P77/4291; E77/2303; E77/2220. Lady Lila is situated upon 100% owned CLZ tenements P77/4325 and P77/4326 (details in announcement dated 21 March 2017) Kat Gap is situated upon E74/467, held by Sulphide Resources Pty Ltd. CLZ has an option to acquire 100% of this tenement (details in announcement dated 13 July 2017)
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> All exploration was carried out by previous owners of the tenements (Aztec Mining, Forrestania Gold NL, Viceroy Australia, Sons of

		Gwalia, Sulphide Resources Pty Ltd)
Geology	<ul style="list-style-type: none"> • Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> • The deposit is a Archean shear-zone hosted gold deposit. • Geological interpretation indicates that the general stratigraphy consists of metasediments, BIF's and cherts to the east of the tenement, overlying an older sequence of metamorphosed komatiitic and high-magnesian basalts to the west. Black shales/pelites occur as small interbedded units throughout the stratigraphy, which dips gently to the east (10-35°) and strikes N-S, bending in a NNW direction in the far north of the tenement. • An Archaean-aged quartz dolerite unit (informally the 'Wattle Rocks Dolerite') is emplaced along a contact between high-MgO basalt to the west and low-MgO ultramafic to the east, in the western part of the tenement and is the host rock for the Lady Ada (and Lady Magdalene) mineralisation. Strongly magnetic Proterozoic dolerite dykes cross-cut the stratigraphy in an east-west direction, splaying to the ENE, following fault directions interpreted from the aeromagnetics. A number of narrow shear zones lie subparallel to the shallow-dipping metasediment-mafic contact within the host stratigraphy and are important sites and conduits for the observed mineralisation. The Sapphire shear zone strikes approximately ENE, dipping to the SE at about 25°, and appears to crosscut all lithologies. This shear zone and associated shears host the bulk of the gold mineralisation at Wattle Rocks. Similar flat-dipping shears are known to



		<p>crosscut the Lady Magdalene area. Approximately 8-12 metres of transported sands and a gold depleted weathering profile of saprolitic clays overly the Lady Ada and Lady Magdalene mineralisation.</p> <ul style="list-style-type: none"> Structurally, the Wattle Rocks area is quite complex and is positioned near the intersection of several major breakages and flexures in the regional stratigraphy in this part of the Forrestania Greenstone belt. Numerous shear zones are evident throughout the area, particularly at changes of rock stratigraphy where there are rheological differences. Narrow, stacked, flat-dipping shear zones are evident within the quartz dolerite unit and may have resulted from thrusting of the younger sedimentary sequence over the mafic package from east to west. A similar model is predicted for Van Uden (10 km northwards) where mineralised quartz veins appear to 'stack' through a host ferruginous metasediment.
<p>Drill hole Information</p>	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the 	<ul style="list-style-type: none"> This information is provided in attached tables



	<p>report, the Competent Person should clearly explain why this is the case.</p>	
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • High grades were not cut in the reporting of weighted averages in this Report. • Summary drill hole results as reported in figures and in the appendix 2 to this Report are reported on a 2m internal dilution and 0.5 g/t Au cuto-off.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg ‘down hole length, true width not known’). 	<ul style="list-style-type: none"> • In almost all cases, the drill holes are perpendicular to the mineralisation. The true width is not expected to deviate much from intersection width.
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Appropriate images have been provided in the Report.
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> • Figures represent specific selected drill intervals to demonstrate the general trend of high grade trends. Cross sections show all relevant result in a balanced way.
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; 	<ul style="list-style-type: none"> • No other relevant data is reported

	potential deleterious or contaminating substances.	
Further work	<ul style="list-style-type: none"> • The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> • Further RC drilling is being considered. • Figures clearly demonstrate the areas of possible extensions